

**Criminal Justice Information System
Computerized Criminal History
Fixed Length Transaction Formats**

Version 2.0.3
January 14, 2019

Table of Contents

INTRODUCTION	3
CONTACTS	3
TRANSACTION HEADER.....	4
DATA TRANSFER HEADER FORMAT	4
SEGMENT FORMATS	5
IDENTIFICATION SEGMENT (MKE = ‘EH’).....	5
<i>Transaction Format – Data Area</i>	5
<i>Error Indicator Attachment</i>	8
IDENTIFICATION SUPPLEMENTAL SEGMENT (MKE = ‘EHN’)	9
<i>Transaction Format – Data Area</i>	9
<i>Error Indicator Attachment</i>	11
ARREST SEGMENT (MKE = ‘ER2’).....	12
<i>Transaction Format – Data Area</i>	12
<i>Error Indicator Attachment</i>	15
ENTER ADDITIONAL CHARGES (ER2S).....	16
<i>Transaction Format – Data Area</i>	16
MODIFY ARREST (MR2).....	19
<i>Transaction Format – Data Area</i>	19
PROSECUTION SEGMENT (MKE = ‘ER3’)	22
<i>Transaction Format – Data Area</i>	22
<i>Error Indicator Attachment</i>	24
COURT SEGMENT (MKE = ‘ER4’)	25
<i>Transaction Format – Data Area</i>	25
<i>Error Indicator Attachment</i>	30
COURT SUPPLEMENTAL SEGMENT (MKE = ‘ER4J’).....	31
<i>Transaction Format – Data Area</i>	31
<i>Error Indicator Attachment</i>	33
CUSTODY SEGMENT (MKE = ‘ER5’)	34
<i>Transaction Format – Data Area</i>	34
NICS ENTRY SEGMENT (MKE = ‘EDP’)	36
<i>Transaction Format – Data Area</i>	36
NICS CANCEL SEGMENT (MKE = ‘XDP’)	37
<i>Transaction Format – Data Area</i>	37
CODE DEFINITIONS	38

Introduction

This Guide covers the transaction formats used to submit Computerized Criminal History (CCH) data to the Texas Department of Public Safety. Transactions covered are:

Message Key	Description
EH	Enter Identification information
EHN	Enter Supplemental Identification information
ER2	Enter Arrest information
ER2S	Add Additional Charges
MR2	Modify Arrest Information
ER3	Enter Prosecution information
ER4	Enter Court status information
ER4J	Enter Court Supplemental information
EDP	Enter NICS Identification Information
XDP	Cancel NICS record

Contacts

HQ DPS	CHRIP Manager	Holly Morris	(512) 424-2686
HQ DPS	EDR Coordinator	Cassandra Richey	(512) 424-2479

Transaction Header

Each record sent to the DPS will be comprised of a 25-byte header and a single variable length record. The length of the record will depend on the type of data being submitted. (i.e. Prosecutor, Court, etc.). The format of the transfer header is as follows:

TRANSFER RECORD FORMAT

```

          |          DATA TRANSFER HEADER          |          DATA AREA          |
          |-----|-----|-----|          |-----|-----|
FIELD=   |TRAN|CDC|FILLER          |<----- RECORD ----->|
          |-----|-----|-----|          |-----|-----|
LGTH=    | 4  4  17          |<- LENGTH OF RECORD----->|
          |<-- TRANSACTION - LENGTH OF HEADER AND RECORD ----->|

```

DATA TRANSFER HEADER FORMAT

Data Element	Field Location		Length	Definition
	Begin	End		
TRANSACTION	001	004	4	'CCHT' - TRANSACTION CODE FOR SENDING DATA TO THE DPS.
CDC	005	008	4	'CDC' OF THE ORGANIZATION SUBMITTING THE DATA.
DATE	009	016	8	CURRENT DATE (YYYYMMDD)
FILLER	017	025	17	THE FINAL 9 CHARACTERS ARE NOT USED BY DPS AND CAN BE USED FOR COUNTY INFORMATION. HOWEVER THE FULL HEADER WILL BE INCLUDED UNCHANGED AS THE FIRST 25 CHARACTERS OF EACH RECORD IN THE RETURN FILE. THEREFORE, THE SUBMITTER MAY CHOOSE TO INCLUDE THE LAST 9 BYTES IN ANY FORMAT THEY DESIRE. THIS MAY BE IMPORTANT IF THE SOFTWARE BEING USED LOCALLY TO PROCESS THE SUBSEQUENT RETURN FILE IS DEPENDENT ON THIS DATA.

SEGMENT FORMATS

IDENTIFICATION SEGMENT (MKE = 'EH')

Transaction Format – Data Area

Note	Code	Field Location		Length	Data Type	Definition
		Begin	End			
X	MKE	001	004	4	ANLJ	MESSAGE KEY 'EH '. IDENTIFICATION RECORD.
	ERR	005	005	1	A	ON RETURN TO AGENCY - BLANK = NO ERRORS - X = 100 BYTE ERROR FIELD APPENDED TO RECORD.
X	LGH	006	009	4	NZFL	RECORD LENGTH (396)
X	DOE	010	017	8	N	DATE OF ENTRY (YYYYMMDD)
X	ORG	018	021	4	AN	CDC OF ORGANIZATION SUBMITTING DATA. (I.E.: 'DPS ', 'AFIS',).
EAR	OPR	022	027	6	AN	ORGANIZATION'S OPERATOR NUMBER CREATING DATA
EAR	DES	028	036	9	AN	FIELD IS AVAILABLE FOR SUBMITTING AGENCY'S USE
X	DPS	037	044	8	NZFL	DPS (SID) NUMBER. DEPARTMENT OF PUBLIC SAFETY STATE IDENTIFICATION NUMBER. (NOT REQUIRED IF EAR)
	ORI	045	053	9	AN	ORIGINATING AGENCY (FOR APPLICANTS ONLY IN CCH)
	FBI	054	062	9	ANLJ	FEDERAL BUREAU OF INVESTIGATION IDENTIFICATION NUMBER.
X	NAM	063	092	30	ALJ	NAME (LAST, FIRST MIDDLE) . THE MASTER NAME OF INDIVIDUAL OF RECORD
X	SEX	093	093	1	A	SEX. M = MALE, F = FEMALE.
X	RAC	094	094	1	A	RACE. THE ARRESTEE'S NATIONALITY.
X	POB	095	096	2	A	PLACE OF BIRTH. STATE, TERRITORIAL POSSESSION, PROVINCE, OR COUNTRY OF BIRTH.

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD TO CCH.
EAR = EAR ONLY FIELD

DATA: A = ALPHA N = NUMERIC
ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED
IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

Note	Code	Field Location		Length	Data Type	Definition
		Begin	End			
X EAR	OCA	308	319	12	ANLJ	ORIGINATING AGENCY. NUMBER USED BY ARRESTING AGENCY TO FURTHER IDENTIFY INDIVIDUAL CASE. (REQUIRED FOR EAR)
X EAR	ORIA	320	328	9	ANLJ	ORIGINATING AGENCY ID OF ARRESTING AGENCY. ORI OF THE ARRESTING AGENCY. (REQUIRED IF EAR)
	APP	329	348	20	ALJ	LICENSE FLAGS SUBMITTED BY AFIS (AFIS ONLY)
	ATC	349	359	11		AFIS TRACKING CONTROL # - NOT USED BY DPS
	ASN	360	363	4		AFIS SEQUENCE # - NOT USED BY DPS
	OLX	364	371	8		OPERATOR LICENSE EXPIRATION DATE - (MMDDYYYY)
	MISC	372	396	25		CURRENTLY NOT USED. RESERVED FOR FUTURE DPS USE.

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD TO CCH.
EAR = EAR ONLY FIELD

DATA: A = ALPHA N = NUMERIC
ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED
IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

Error Indicator Attachment

FIRST 50 BYTES		LAST FIFTY BYTES	
Byte No.	RECORD FIELD IN ERROR	Byte No.	LOGIC ERROR INDICATIONS
1	MKE	51	UNS
2	DOE	52	CONS
3	ORG	53	CINF
4	DPS		
5	NAM		
6	SEX		
7	RAC		
8	POB		
9	CTZ		
10	DOB		
11	HGT		
12	WGT		
13	EYE		
14	HAI		
15	SKN		
16	APC		
17	OLT		
18	OLN		
19	OLS		
20	IDN		
21	IDS		
22	Filler		
23	ETH		
24	LGH		
25	TRN		
26	OCA		
27	ORIA		
28	APP		
29	ATCN		
30	ASEQ		
...		...	

IDENTIFICATION SUPPLEMENTAL SEGMENT (MKE = 'EHN')

The supplemental transaction contains additional descriptors which were not included in the identification segment (EH transaction). The transaction allows 4 alias (AKA), 3 scars, marks, and tattoos (SMT), 3 alias dates of birth (ADB), 1 social security number (SOC), and 2 miscellaneous numbers (MNU) to be added.

Transaction Format – Data Area

Note	Code	Field Location		Length	Data Type	Definition
		Begin	End			
X	MKE	001	004	4	ANLJ	MESSAGE KEY 'EHN '. SUPPLEMENTAL DATA FOR AN IDENTIFICATION RECORD.
	ERR	005	005	1	A	ON RETURN TO AGENCY - BLANK = NO ERRORS X = 100 BYTE ERROR FIELD APPENDED TO RECORD.
X	LGH	006	009	4	NZFL	RECORD LENGTH (358)
X	DOE	010	017	8	N	DATE OF ENTRY (YYYYMMDD)
X	ORG	018	021	4	AN	CDC OF ORGANIZATION SUBMITTING DATA. (I.E.: 'DPS ', 'AFIS').
EAR	OPR	022	027	6	AN	ORGANIZATION'S OPERATOR NUMBER CREATING DATA
EAR	DES	028	036	9	AN	FIELD IS AVAILABLE FOR SUBMITTING AGENCY'S USE
EAR	DPS	037	044	8	NZFL	DPS NUMBER. DEPARTMENT OF PUBLIC SAFETY IDENTIFICATION NUMBER. (NOT REQUIRED)
		045	053	9		CURRENTLY NOT USED. RESERVED FOR FUTURE DPS USE.
	AKA1	054	083	30	ALJ	ANY ADDITIONAL NAME USED WHEN SUBJECT WAS ARRESTED. (LAST, FIRST MIDDLE)
	AKA2	084	113	30	ALJ	ANY ADDITIONAL NAME USED WHEN SUBJECT WAS ARRESTED. (LAST, FIRST MIDDLE)
	AKA3	114	143	30	ALJ	ANY ADDITIONAL NAME USED WHEN SUBJECT WAS ARRESTED. (LAST, FIRST MIDDLE)

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD to CCH
EAR = EAR ONLY FIELD
DATA: A = ALPHA N = NUMERIC
ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED
IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

Error Indicator Attachment

FIRST 50 BYTES		LAST FIFTY BYTES	
Byte No.	RECORD FIELD IN ERROR	Byte No.	LOGIC ERROR INDICATIONS
1	MKE	51	UNS
2	DOE	52	CONS
3	ORG		
4	DPS		
5	CKN		
6	AKA1		
7	AKA2		
8	AKA3		
9	AKA4		
10	SMT1		
11	SMT2		
12	SMT3		
13	ADB1		
14	ADB2		
15	MNU1		
16	MNU2		
17	SOC		
18	LGH		
19	TRN		
20	OCA		
21	ORIA		
22	ATCN		
23	ASEQ		
24			
25			
26			
27			
28			
29			
30			
...		...	

ARREST SEGMENT (MKE = 'ER2')

Transaction Format – Data Area

Note	Code	Field Location		Length	Data Type	Definition
		Begin	End			
X	MKE	001	004	4	ANLJ	MESSAGE KEY 'ER2 '
	ERR	005	005	1	A	ON RETURN TO AGENCY - BLANK = NO ERRORS - X = 100 BYTE ERROR FIELD APPENDED TO RECORD.
X	LGH	006	009	4	NZFL	RECORD LENGTH (477)
X	DOE	010	017	8	N	DATE OF ENTRY (YYYYMMDD)
X	ORG	018	021	4	AN	CDC OF ORGANIZATION SUBMITTING DATA. (I.E.: 'DPS ', 'AFIS').
EAR	OPR	022	027	6	AN	ORGANIZATION'S OPERATOR NUMBER CREATING DATA
EAR	DES	028	036	9	AN	FIELD IS AVAILABLE FOR SUBMITTING AGENCY'S USE
X	DPS	037	044	8	NZFL	DPS NUMBER. DEPARTMENT OF PUBLIC SAFETY IDENTIFICATION NUMBER. (NOT REQUIRED IF EAR)
		045	053	9		CURRENTLY NOT USED
X	TRN	054	063	10	AN	TRACKING INCIDENT NUMBER. CONTROL NUMBER ASSIGNED AT ARREST.
		064	064	1		CURRENTLY NOT USED
X	DOA	065	072	8	N	DATE OF ARREST. MMDDYYYY. DATE SUBJECT WAS ARRESTED.
X	ORIA	073	101	29	ANLJ	ORIGINATING AGENCY ID OF ARRESTING AGENCY. ORI OF THE ARRESTING AGENCY.
X	ANA	102	131	30	ALJ	NAME USED WHEN SUBJECT WAS ARRESTED, OTHER THAN MASTER NAME.
A	AD1	132	161	30	ANLJ	ADDRESS STREET OF OFFENDER AT TIME OF ARREST.
A	ADC	162	181	20	ALJ	ADDRESS-CITY

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD.
 EAR = EAR ONLY FIELD
 A = ADDRESS IS NOT MANDATORY BUT, IF ENTERED, ALL ADDRESS FIELDS
 (AD1/ADC/ADS/ADZ) MUST BE PRESENT
 L = LICENSE INFORMATION IS NOT MANDATORY BUT, IF ENTERED, ALL
 LICENSE FIELDS (LIC/LIS/LIY) MUST BE PRESENT
 DATA: A = ALPHA N = NUMERIC
 ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED
 IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

Note	Code	Field Location		Length	Data Type	Definition
		Begin	End			
A	ADS	182	183	2	A	ADDRESS STATE OR COUNTRY CODE.
A	ADZ	184	192	9	NLJ	ADDRESS ZIP CODE (NNNNN OR NNNNNNNNNN)
	HAZ	193	193	1	A	TRANSPORTING HAZARDOUS MATERIAL AT TIME OF ARREST.
	CMV	194	194	1	A	OPERATING COMMERCIAL MOTOR VEHICLE DURING ARREST.
L	LIC	195	204	10	ANLJ	LICENSE PLATE NUMBER OF VEHICLE OPERATED DURING ARREST.
L	LIS	205	206	2	A	STATE OF VEHICLE AGENCY NUMBER. THE NUMBER ASSIGNED REGISTRATION.
L	LIY	207	210	4	N	YEAR OF VEHICLE REGISTRATION
	AGN	211	225	15	ANLJ	BY AN AGENCY TO IDENTIFY THE SUBJECT.
X	OCA	226	237	12	ANLJ	ORIGINATING AGENCY. NUMBER USED BY ARRESTING AGENCY TO FURTHER IDENTIFY INDIVIDUAL CASE.
	GUN	238	238	1	A	NCIC GUN CODE IF GUN WAS PRESENT OR WAS USED.
X	TRS	239	242	4	AN	(ANNN) TRACKING INCIDENT NUMBER SUFFIX (OLD 'ACH' ARREST CHARGE NUMBER)
	DOO	243	250	8	N	DATE OF OFFENSE. MMDDYYYY. THE DATE THE OFFENSE OCCURRED.
X	AON	251	258	8	N	ARREST OFFENSE. THE 4 CHARACTER NCIC OFFENSE CODE FOLLOWED BY THE 4 CHARACTER STATE MODIFIER.
	AOL	259	304	46	ANLJ	ARREST OFFENSE LITERAL. A FIELD USED TO EXPLAIN OR CLARIFY THE OFFENSE.
X EAR	CIT	305	321	17	A	STATUTE CITATION
X	LDA	322	323	2	AN	LEVEL AND DEGREE OF OFFENSE OF ARREST. WHETHER THE ARREST CHARGE IS A FELONY OR MISDEMEANOR.

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD.
EAR = EAR ONLY FIELD
A = ADDRESS IS NOT MANDATORY BUT, IF ENTERED, ALL ADDRESS FIELDS (AD1/ADC/ADS/ADZ) MUST BE PRESENT
L = LICENSE INFORMATION IS NOT MANDATORY BUT, IF ENTERED, ALL LICENSE FIELDS (LIC/LIS/LIY) MUST BE PRESENT

DATA: A = ALPHA N = NUMERIC
ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED
IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

Note	Code	Field Location		Length	Data Type	Definition
		Begin	End			
	GOCA	324	324	1	A	GENERAL OFFENSE CHARACTER - ARREST. DESCRIBES ACTION WHICH IS RELATED TO THE OFFENSE.
X	ADN	325	327	3	N	ARREST DISPOSITION NUMERIC. A CODE THAT EXPRESSES A DISPOSITION IMMEDIATE TO ARREST.
	ADD	328	359	32	ANLJ	ARREST DISPOSITION DATA LITERAL. USED TO DESCRIBE OR CLARIFY THE ADN.
X	ADA	360	367	8	N	ARREST DISPOSITION DATE. MMDDYYYY. DATE OF THE DISPOSITION BY THE ARRESTING AGENCY.
X	REF	368	376	9	AN	ENTER ORI OF THE DA/PROSECUTOR THE CASE IS BEING REFERRED TO.
	JUV	377	377	1	A	JUVENILE FLAG. 'J' IF JUVENILE.
		378	400			CURRENTLY NOT USED
	DMV	401	401	1	AN	DOMESTIC VIOLENCE INDICATOR
	VIC	402	403	2	N	AGE OF VICTIM
		404	477	74		CURRENTLY NOT USED

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD.
EAR = EAR ONLY FIELD
A = ADDRESS IS NOT MANDATORY BUT, IF ENTERED, ALL ADDRESS FIELDS (AD1/ADC/ADS/ADZ) MUST BE PRESENT
L = LICENSE INFORMATION IS NOT MANDATORY BUT, IF ENTERED, ALL LICENSE FIELDS (LIC/LIS/LIY) MUST BE PRESENT

DATA: A = ALPHA N = NUMERIC
ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED
IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

Error Indicator Attachment

FIRST 50 BYTES		LAST FIFTY BYTES	
Byte No.	RECORD FIELD IN ERROR	Byte No.	LOGIC ERROR INDICATIONS
1	MKE	51	UNS
2	DOE	52	PERA
3	ORG	53	DUP
4	DPS	54	CONS
5	FILLER	55	FREC
6	TRN	56	CONF
7	SEQ	57	VIC
8	DOA		
9	ORIA		
10	ANA		
11	AD1		
12	ADC		
13	ADS		
14	ADZ		
15	HAZ		
16	CMV		
17	LIC		
18	LIS		
19	LIY		
20	GUN		
21	TRS		
22	DOO		
23	AON		
24	LDA		
25	GOCA		
26	ADN		
27	ADA		
28	REF		
29	LGH		
30	MRAP		
31	OCA		
32	JUV		
33	ATCN		
34	ASEQ		
...		...	

ENTER ADDITIONAL CHARGES (ER2S)

This transaction is used to add additional charges to a previously submitted arrest. It uses the same transaction format as the Enter Arrest (ER2) transaction.

NOTE: This transaction is only available via CCH Web Services.

Transaction Format – Data Area

Note	Code	Field Location		Length	Data Type	Definition
		Begin	End			
X	MKE	001	004	4	ANLJ	MESSAGE KEY 'ER2S'
	ERR	005	005	1	A	ON RETURN TO AGENCY - BLANK = NO ERRORS - X = REJECT MESSAGE RETURNED VIA WEB SERVICE.
X	LGH	006	009	4	NZFL	RECORD LENGTH (477)
X	DOE	010	017	8	N	DATE OF ENTRY (YYYYMMDD)
X	ORG	018	021	4	AN	CDC OF ORGANIZATION SUBMITTING DATA. (I.E.: 'DPS ', 'AFIS').
	OPR	022	027	6		FOR SUBMITTING AGENCY USE ONLY. NOT POSTED TO THE CCH DATABASE
	DES	028	036	9		FOR SUBMITTING AGENCY USE ONLY. NOT POSTED TO THE CCH DATABASE
X	DPS	037	044	8	NZFL	DPS NUMBER. DEPARTMENT OF PUBLIC SAFETY IDENTIFICATION NUMBER.
		045	053	9		CURRENTLY NOT USED
X	TRN	054	063	10	AN	TRACKING INCIDENT NUMBER. CONTROL NUMBER ASSIGNED AT ARREST.
		064	064	1		CURRENTLY NOT USED
X	DOA	065	072	8	N	DATE OF ARREST. MMDDYYYY. DATE SUBJECT WAS ARRESTED.
X	ORIA	073	101	29	ANLJ	ORIGINATING AGENCY ID OF ARRESTING AGENCY. ORI OF THE ARRESTING AGENCY.
X	ANA	102	131	30	ALJ	NAME USED WHEN SUBJECT WAS ARRESTED, OTHER THAN MASTER NAME.

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD.
A = ADDRESS IS NOT MANDATORY BUT, IF ENTERED, ALL ADDRESS FIELDS
(AD1/ADC/ADS/ADZ) MUST BE PRESENT
L = LICENSE INFORMATION IS NOT MANDATORY BUT, IF ENTERED, ALL
LICENSE FIELDS (LIC/LIS/LIY) MUST BE PRESENT
DATA: A = ALPHA N = NUMERIC
ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED
IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

Note	Code	Field Location		Length	Data Type	Definition
		Begin	End			
A	AD1	132	161	30	ANLJ	ADDRESS STREET OF OFFENDER AT TIME OF ARREST.
A	ADC	162	181	20	ALJ	ADDRESS-CITY
A	ADS	182	183	2	A	ADDRESS STATE OR COUNTRY CODE.
A	ADZ	184	192	9	NLJ	ADDRESS ZIP CODE (NNNNN OR NNNNNNNNN)
	HAZ	193	193	1	A	TRANSPORTING HAZARDOUS MATERIAL AT TIME OF ARREST.
	CMV	194	194	1	A	OPERATING COMMERCIAL MOTOR VEHICLE DURING ARREST.
L	LIC	195	204	10	ANLJ	LICENSE PLATE NUMBER OF VEHICLE OPERATED DURING ARREST.
L	LIS	205	206	2	A	STATE OF VEHICLE AGENCY NUMBER. THE NUMBER ASSIGNED REGISTRATION.
L	LIY	207	210	4	N	YEAR OF VEHICLE REGISTRATION
	AGN	211	225	15	ANLJ	BY AN AGENCY TO IDENTIFY THE SUBJECT.
X	OCA	226	237	12	ANLJ	ORIGINATING AGENCY. NUMBER USED BY ARRESTING AGENCY TO FURTHER IDENTIFY INDIVIDUAL CASE.
	GUN	238	238	1	A	NCIC GUN CODE IF GUN WAS PRESENT OR WAS USED.
X	TRS	239	242	4	AN	(ANNN) TRACKING INCIDENT NUMBER SUFFIX (OLD 'ACH' ARREST CHARGE NUMBER)
	DOO	243	250	8	N	DATE OF OFFENSE. MMDDYYYY. THE DATE THE OFFENSE OCCURRED.
X	AON	251	258	8	N	ARREST OFFENSE. THE 4 CHARACTER NCIC OFFENSE CODE FOLLOWED BY THE 4 CHARACTER STATE MODIFIER.
	AOL	259	304	46	ANLJ	ARREST OFFENSE LITERAL. A FIELD USED TO EXPLAIN OR CLARIFY THE OFFENSE.
	CIT	305	321	17		FOR SUBMITTING AGENCY USE ONLY. NOT POSTED TO THE CCH DATABASE

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD.
A = ADDRESS IS NOT MANDATORY BUT, IF ENTERED, ALL ADDRESS FIELDS (AD1/ADC/ADS/ADZ) MUST BE PRESENT
L = LICENSE INFORMATION IS NOT MANDATORY BUT, IF ENTERED, ALL LICENSE FIELDS (LIC/LIS/LIY) MUST BE PRESENT
DATA: A = ALPHA N = NUMERIC
ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED
IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

Note	Code	Field Location		Length	Data Type	Definition
		Begin	End			
X	LDA	322	323	2	AN	LEVEL AND DEGREE OF OFFENSE OF ARREST. WHETHER THE ARREST CHARGE IS A FELONY OR MISDEMEANOR.
	GOCA	324	324	1	A	GENERAL OFFENSE CHARACTER - ARREST. DESCRIBES ACTION WHICH IS RELATED TO THE OFFENSE.
X	ADN	325	327	3	N	ARREST DISPOSITION NUMERIC. A CODE THAT EXPRESSES A DISPOSITION IMMEDIATE TO ARREST.
	ADD	328	359	32	ANLJ	ARREST DISPOSITION DATA LITERAL. USED TO DESCRIBE OR CLARIFY THE ADN.
X	ADA	360	367	8	N	ARREST DISPOSITION DATE. MMDDYYYY. DATE OF THE DISPOSITION BY THE ARRESTING AGENCY.
X	REF	368	376	9	AN	ENTER ORI OF THE DA/PROSECUTOR THE CASE IS BEING REFERRED TO.
	JUV	377	377	1	A	JUVENILE FLAG. 'J' IF JUVENILE.
		378	400			CURRENTLY NOT USED
	DMV	401	401	1	AN	DOMESTIC VIOLENCE INDICATOR
	VIC	402	403	2	N	AGE OF VICTIM
		404	477	74		CURRENTLY NOT USED

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD.
A = ADDRESS IS NOT MANDATORY BUT, IF ENTERED, ALL ADDRESS FIELDS (AD1/ADC/ADS/ADZ) MUST BE PRESENT
L = LICENSE INFORMATION IS NOT MANDATORY BUT, IF ENTERED, ALL LICENSE FIELDS (LIC/LIS/LIY) MUST BE PRESENT

DATA: A = ALPHA N = NUMERIC
ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED
IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

MODIFY ARREST (MR2)

The modify arrest (MR2) transaction is used to modify previously submitted arrest information. Required fields are marked noted by 'X' in the Note column. The MR2 transaction is a fixed format transaction with the modifiable fields in the same positions as in the ER2 and ER2S formats. The fields that can be modified are marked by an 'M' in the Note column. To modify a field, place the new value in the desired field. To remove a field value, place an asterisk (*) in that field.

NOTE: This transaction is only available via CCH Web Services.

Transaction Format – Data Area

Note	Code	Field Location		Length	Data Type	Definition
		Begin	End			
X	MKE	001	004	4	ANLJ	MESSAGE KEY 'MR2 '
	ERR	005	005	1	A	ON RETURN TO AGENCY - BLANK = NO ERRORS - X = REJECT MESSAGE RETURNED VIA WEB SERVICE.
X	LGH	006	009	4	NZFL	RECORD LENGTH (477)
X	DOE	010	017	8	N	DATE OF ENTRY (YYYYMMDD)
X	ORG	018	021	4	AN	CDC OF ORGANIZATION SUBMITTING DATA. (I.E.: 'DPS ', 'AFIS').
	OPR	022	027	6		FOR SUBMITTING AGENCY USE ONLY. NOT POSTED TO THE CCH DATABASE
	DES	028	036	9		FOR SUBMITTING AGENCY USE ONLY. NOT POSTED TO THE CCH DATABASE
X	DPS	037	044	8	NZFL	DPS NUMBER. DEPARTMENT OF PUBLIC SAFETY IDENTIFICATION NUMBER.
		045	053	9		CURRENTLY NOT USED
X	TRN	054	063	10	AN	TRACKING INCIDENT NUMBER. CONTROL NUMBER ASSIGNED AT ARREST.
		064	064	1		CURRENTLY NOT USED
X	DOA	065	072	8	N	DATE OF ARREST. MMDDYYYY. DATE SUBJECT WAS ARRESTED.
		073	210	138		CURRENTLY NOT USED

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD.
M = MODIFIABLE FIELD
A = ADDRESS IS NOT MANDATORY BUT, IF ENTERED, ALL ADDRESS FIELDS
(AD1/ADC/ADS/ADZ) MUST BE PRESENT
L = LICENSE INFORMATION IS NOT MANDATORY BUT, IF ENTERED, ALL
LICENSE FIELDS (LIC/LIS/LIY) MUST BE PRESENT
DATA: A = ALPHA N = NUMERIC
ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED
IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

M	VIC	402	403	2	N	AGE OF VICTIM
		404	477	74		CURRENTLY NOT USED

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD.
M = MODIFIABLE FIELD
A = ADDRESS IS NOT MANDATORY BUT, IF ENTERED, ALL ADDRESS FIELDS
(AD1/ADC/ADS/ADZ) MUST BE PRESENT
L = LICENSE INFORMATION IS NOT MANDATORY BUT, IF ENTERED, ALL
LICENSE FIELDS (LIC/LIS/LIY) MUST BE PRESENT

DATA: A = ALPHA N = NUMERIC
ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED
IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

PROSECUTION SEGMENT (MKE = 'ER3')

Transaction Format – Data Area

Note	Code	Field Location		Length	Data Type	Definition
		Begin	End			
X	MKE	001	004	4	ANLJ	MESSAGE KEY 'ER3 '. ADD A PROSECUTION RECORD.
	ERR	005	005	1	A	ON RETURN TO AGENCY - BLANK = NO ERRORS - X = 100 BYTE ERROR FIELD APPENDED TO RECORD.
X	LGH	006	009	4	NZFL	RECORD LENGTH (252)
X	DOE	010	017	8	N	DATE OF ENTRY (YYYYMMDD)
X	ORG	018	021	4	AN	CDC OF ORGANIZATION SUBMITTING DATA. (I.E.: AA#Z').
	OPR	022	027	6	AN	FOR COUNTY REFERENCE ONLY
	AGY	028	036	9	AN	AGENCY ORI. ONLY USED FOR NAME BASED DISPOSITION/UNSUPPORTED
X	DPS	037	044	8	NZFL	DPS NUMBER. DEPARTMENT OF PUBLIC SAFETY IDENTIFICATION NUMBER.
		045	053	9		CURRENTLY NOT USED
X	TRN	054	063	10	AN	TRACKING INCIDENT NUMBER. CONTROL NUMBER ASSIGNED AT ARREST.
	SEQ	064	064	1	A	SEQUENCE. INDICATOR OF MULTIPLE ARRESTS OF AN INDIVIDUAL ON SAME DAY BY DIFFERENT AGENCIES.
X	DOA	065	072	8	N	DATE OF ARREST. MMDDYYYY. DATE SUBJECT WAS ARRESTED.
X	TRS	073	076	4	AN	(ANNN) TRACKING INCIDENT NUMBER SUFFIX (CHARGE NUMBER)
X	ORIP	077	085	9	ANLJ	ORI OF PROSECUTOR.
	PAD	086	093	8	N	PROSECUTOR ACTION DATE. (MMDDYYYY) MANDATORY FOR CERTAIN PAF VALUES. SEE DATA DICTIONARY FOR DETAILS.
X	PAF	094	094	1	A	PROSECUTOR ACTION FIELD.
	GOCP	095	095	1	A	GENERAL OFFENSE CHARACTER - PROSECUTOR.

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD.
 DATA: A = ALPHA N = NUMERIC
 ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED
 IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

Note	Code	Field Location		Length	Data Type	Definition
		Begin	End			
X	PON	096	103	8	N	PROSECUTOR OFFENSE. THE 4 CHARACTER NCIC OFFENSE CODE FOLLOWED BY THE 4 CHARACTER STATE MODIFIER
	POL	104	149	46	ANLJ	PROSECUTION OFFENSE LITERAL. A FIELD USED TO EXPLAIN OR CLARIFY THE OFFENSE.
X	LDP	150	151	2	AN	LEVEL AND DEGREE OF PROSECUTED OFFENSE.
	CONS	152	159	8	NZFL	IF THIS DPS NUMBER HAS BEEN CONSOLIDATED, THEN THE TRANSACTION WILL BE REJECTED BUT THE NEW DPS NUMBER WILL BE PLACED IN THIS FIELD FOR INCLUSION IN THE RETURN FILE
	NAM	160	189	30	ALJ	PROSECUTION NAME (LAST, FIRST MIDDLE) NAME USED WHEN SUBJECT WAS PROSECUTED, OTHER THAN MASTER NAME
		190	191	2		CURRENTLY NOT USED
	DOB	192	199	8	N	DATE OF BIRTH (MMDDYYYY)
	DMV	200	200	1	AN	DOMESTIC VIOLENCE INDICATOR
	VIC	201	202	2	N	AGE OF VICTIM
		203	252	50		CURRENTLY NOT USED

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD.
DATA: A = ALPHA N = NUMERIC
ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED
IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

Error Indicator Attachment

FIRST 50 BYTES		LAST FIFTY BYTES	
Byte No.	RECORD FIELD IN ERROR	Byte No.	LOGIC ERROR INDICATIONS
1	MKE	51	DUP/UNS/NBF
2	DOE	52	PERP
3	ORG	53	TEM
4	DPS	54	CONS
5	FILLER	55	CONF
6	TRN	56	VIC
7	SEQ		
8	DOA		
9	TRS		
10	ORIP		
11	PAD		
12	PAF		
13	GOCP		
14	PON		
15	LDP		
16	LGH		
17	NAM		
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
...		...	

COURT SEGMENT (MKE = 'ER4')

Submit one record for each 'TRS' within a 'TRN'. For example: If there was a court disposition to be reported on three charges, TRS A001, TRS A002, and TRS A003 then three separate 'ER3' records must be built and submitted to the DPS.

Transaction Format – Data Area

Note	Code	Field Location		Length	Data Type	Definition
		Begin	End			
X	MKE	001	004	4	ANLJ	MESSAGE KEY 'ER4 '. ADD A COURT RECORD.
	ERR	005	005	1	A	ON RETURN TO AGENCY - BLANK = NO ERRORS - X = 100 BYTE ERROR FIELD APPENDED TO RECORD.
X	LGH	006	009	4	NZFL	RECORD LENGTH (533)
X	DOE	010	017	8	N	DATE OF ENTRY (YYYYMMDD)
	ORG	018	021	4	AN	CDC OF ORGANIZATION SUBMITTING DATA. (I.E.: AA#Z').
	OPR	022	027	6	AN	COUNTY REFERENCE ONLY
	AGY	028	036	9	AN	AGENCY ORI. ONLY USED FOR NAME BASED DISPOSITION/UNSUPPORTED
X	DPS	037	044	8	NZFL	DPS NUMBER. DEPARTMENT OF PUBLIC SAFETY IDENTIFICATION NUMBER.
		045	053	9		CURRENTLY NOT USED
X	TRN	054	063	10	AN	TRACKING INCIDENT NUMBER. CONTROL NUMBER ASSIGNED AT ARREST.
	SEQ	064	064	1	A	SEQUENCE. INDICATOR OF MULTIPLE ARRESTS OF AN INDIVIDUAL ON SAME DAY BY DIFFERENT AGENCIES.
X	DOA	065	072	8	N	DATE OF ARREST. MMDDYYYY. DATE SUBJECT WAS ARRESTED.
X	TRS	073	076	4	AN	(ANNN) TRACKING INCIDENT NUMBER SUFFIX (CHARGE NUMBER).
	CSC	077	077	1	A	COURT STATUS CHANGE. Must be (a).
	CAU	078	097	20	ANLJ	CAUSE NUMBER.

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD.
 D = THE DWI0 - DWI9 FIELDS ARE PROVIDED FOR DWI (DIC17) DATA SUBMISSION

DATA: A = ALPHA N = NUMERIC
 ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED
 IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

Note	Code	Field Location		Length	Data Type	Definition
		Begin	End			
X	FPO	098	098	1	A	FINAL PLEADING TO OFFENSE. FINAL PLEADING OF THE OFFENDER TO THE OFFENSE.
X	ORIC	099	127	29	ANLJ	ORIGINATING AGENCY ID OF COURT. ORI THAT IDENTIFIES THE COURT.
X	CDD	128	135	8	N	COURT DISPOSITION DATE. MMDDYYYY. THE DATE OF THE JUDICIAL DISPOSITION OF THE CASE.
	GOCC	136	136	1	A	GENERAL OFFENSE CHARACTER - COURT. DESCRIBES ACTION WHICH IS RELATED TO THE OFFENSE.
X	CON	137	144	8	N	COURT OFFENSE. THE 4 CHARACTER NCIC OFFENSE CODE FOLLOWED BY THE 4 CHARACTER STATE MODIFIER.
	COL	145	190	46	ANLJ	COURT OFFENSE LITERAL. A FIELD USED TO EXPLAIN OR CLARIFY THE OFFENSE.
		191	207	17		CURRENTLY NOT USED
X	LDC	208	209	2	AN	LEVEL AND DEGREE OF OFFENSE DISPOSED BY COURT.
X	CDN	210	212	3	N	COURT DISPOSITION NUMERIC. THE NUMERIC CODE FOR THE DISPOSITION OF THE CASE. (NOTE: FOR JUVENILE SUBMISSIONS: THIS FIELD WILL CONTAIN THE 'PAN' OR 'JAN' CODES)
X	DOS	213	220	8	N	DATE OF SENTENCE OR STATUS CHANGE. (MMDDYYYY) CONDITIONALLY MANDATORY - SEE DATA DICTIONARY.
	CSS	221	232	12	ANLJ	COURT SENTENCE SUSPENDED - TIME. THE AMOUNT OF TIME ORDERED BY THE COURT BUT SUSPENDED, OR OTHERWISE NOT IMPOSED.
	CSF	233	240	8	NZFL	COURT SENTENCE SUSPENDED - FINE. THE AMOUNT OF FINE ORDERED BY THE COURT BUT SUSPENDED, OR OTHERWISE NOT IMPOSED. WHOLE DOLLARS.
	CMT	241	252	12	ANLJ	COURT CONFINEMENT. THE AMOUNT OF CONFINEMENT TIME FROM JUDICIAL ACTION.

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD.
D = THE DWI0 - DWI9 FIELDS ARE PROVIDED FOR DWI (DIC17)
DATA SUBMISSION

DATA: A = ALPHA N = NUMERIC
ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED
IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

Note	Code	Field Location		Length	Data Type	Definition
		Begin	End			
	CPR	253	264	12	ANLJ	COURT PROBATION. THE AMOUNT OF TIME THE SUBJECT IS ON PROBATION.
	CFN	265	272	8	NZFL	COURT FINE. THE MONETARY AMOUNT OF A FINE ORDERED BY THE COURT. WHOLE DOLLARS.
	CST	273	278	6	NZFL	COURT COST. AMOUNT OF COURT COSTS. WHOLE DOLLARS.
	CPL	279	328	50	ANLJ	COURT PROVISION LITERAL. ADDITIONAL DATA WHICH FURTHER EXPLAINS JUDICIAL RULING.
	CPN	329	331	3	N	COURT PROVISION NUMERIC. A FIELD WHICH FURTHER EXPRESSED SPECIAL SENTENCE PROVISIONS.(NOTE: FOR JUVENILE SUBMISSIONS: THIS FIELD WILL CONTAIN THE 'JDN' CODES)
	DCA	332	339	8	N	DATE CASE APPEALED. MMDDYYYY. THE DATE OF APPEAL OF THE CHARGE.
	DDA	340	342	3	N	DISPOSITION OF OFFENDER DURING APPEAL. THE FINAL DISPOSITION OF THE OFFENDER DURING APPEAL.
	FCD	343	345	3	N	FINAL COURT DECISION ON APPEALED CASE. FINAL COURT DECISION ON A CASE THAT WAS APPEALED.
X	ARC	346	374	29	AN	AGENCY RECEIVING CUSTODY. ORI OF THE AGENCY RECEIVING CUSTODY OF THE OFFENDER. MANDATORY WHEN CMT OR CPR EXIST.
	MCC	375	376	2	A	MULTIPLE SENTENCES CONCURRENT (CC) OR CONSECUTIVE (CS).
	JUV	377	377	1	A	JUVENILE FLAG. 'J' IF JUVENILE.
D	DWI0	378	385	8	N	BEGINNING DATE OF SUSPENSION. (MMDDYYYY) NOT USED BY CCH - FOR PASS THRU TO DWI (DIC17)
D	DWI1	386	393	8	N	ENDING DATE OF SUSPENSION. (MMDDYYYY) NOT USED BY CCH - FOR PASS THRU TO DWI (DIC17)

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD.
D = THE DWI0 - DWI9 FIELDS ARE PROVIDED FOR DWI (DIC17)
DATA SUBMISSION

DATA: A = ALPHA N = NUMERIC
ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED
IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

Note	Code	Field Location		Length	Data Type	Definition
		Begin	End			
D	DWI2	394	401	8	N	DATE DWI EDUCATION PROGRAM REQUIRED. (MMDDYYYY) NOT USED BY CCH - FOR PASS THRU TO DWI (DIC17)
D	DWI3	402	409	8	N	DATE DWI EDUCATION PROGRAM COMPLETED. (MMDDYYYY) NOT USED BY CCH - FOR PASS THRU TO DWI (DIC17)
D	DWI4	410	417	8	N	DATE EDUCATION PROGRAM WAIVED. (MMDDYYYY) NOT USED BY CCH - FOR PASS THRU TO DWI (DIC17)
D	DWI5	418	425	8	N	DATE DRUG EDUCATION PROGRAM COMPLETED. (MMDDYYYY) NOT USED BY CCH - FOR PASS THRU TO DWI (DIC17)
D	DWI6	426	433	8	N	DATE REPEAT OFFENDER PROGRAM REQUIRED. (MMDDYYYY) NOT USED BY CCH - FOR PASS THRU TO DWI (DIC17)
D	DWI7	434	441	8	N	DATE REPEAT OFFENDER PROGRAM COMPLETED. (MMDDYYYY) NOT USED BY CCH - FOR PASS THRU TO DWI (DIC17)
D	DWI8	442	449	8	N	DWI PROGRAM EXTENSION FROM DATE. NOT USED BY CCH - FOR PASS THRU TO DWI (DIC17)
D	DWI9	450	457	8	N	DWI PROGRAM EXTENSION TO DATE. (MMDDYYYY) NOT USED BY CCH - FOR PASS THRU TO DWI (DIC17)
	NAM	458	487	30	ALJ	NAME (LAST, FIRST MIDDLE)
		488	489	2		CURRENTLY NOT USED
	DOB	490	497	8	N	DATE OF BIRTH (MMDDYYYY)
		498	505	8		CURRENTLY NOT USED
	CONS	506	513	8	NZFL	IF THIS DPS NUMBER HAS BEEN CONSOLIDATED, THEN THE TRANSACTION WILL BE REJECTED BUT THE NEW DPS NUMBER WILL BE PLACED IN THIS FIELD FOR INCLUSION IN THE RETURN FILE
	DMV	514	514	1	AN	DOMESTIC VIOLENCE INDICATOR
	VIC	515	516	2	N	AGE OF VICTIM

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD.
D = THE DWI0 - DWI9 FIELDS ARE PROVIDED FOR DWI (DIC17)
DATA SUBMISSION

DATA: A = ALPHA N = NUMERIC
ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED
IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

Note	Code	Field Location		Length	Data Type	Definition
		Begin	End			
		517	533	17		CURRENTLY NOT USED

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD.
D = THE DWI0 - DWI9 FIELDS ARE PROVIDED FOR DWI (DIC17)
DATA SUBMISSION

DATA: A = ALPHA N = NUMERIC
ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED
IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

Error Indicator Attachment

FIRST 50 BYTES		LAST FIFTY BYTES	
Byte No.	RECORD FIELD IN ERROR	Byte No.	LOGIC ERROR INDICATIONS
1	MKE	51	DUP/UNS/NBF
2	DOE	52	TEMA
3	ORG	53	PAF
4	DPS	54	CONS
5	FILLER	55	DUP
6	TRN	56	VIC
7	SEQ		
8	DOA		
9	TRS		
10	FPO		
11	ORIC		
12	CDD		
13	GOCC		
14	CON		
15	LDC		
16	CDN		
17	DOS		
18	CPN		
19	DCA		
20	DDA		
21	FCD		
22	MCC		
23	CIT		
24	ARC		
25	CSF		
26	CFN		
27	CST		
28	LGH		
29	CMT		
30	NAM		
31	SEX		
32	RAC		
33	DOB		
34	JUV		
35	CSS		
36	CPR		
...		...	

COURT SUPPLEMENTAL SEGMENT (MKE = 'ER4J')

The "Court Supplemental Segment" is used to apply up to five (5) court directed programs to a matching "SID, TRN, TRS" record in the CCH database. A second supplemental segment must be submitted if more than five (5) programs have been assigned by the court.

Transaction Format – Data Area

Note	Code	Field Location		Length	Data Type	Definition
		Begin	End			
X	MKE	001	004	4	ANLJ	MESSAGE KEY 'ER4J'. COURT SUPPLEMENTAL DATA FOR JUVENILE PROGRAMS.
	ERR	005	005	1	A	ON RETURN TO AGENCY - BLANK = NO ERRORS - X = 100 BYTE ERROR FIELD APPENDED TO RECORD.
X	LGH	006	009	4	NZFL	RECORD LENGTH (442)
X	DOE	010	017	8	N	DATE OF ENTRY (YYYYMMDD)
X	ORG	018	021	4	AN	CDC OF ORGANIZATION SUBMITTING DATA. (I.E.: AA#Z').
	OPR	022	027	6	AN	COUNTY REFERENCE ONLY
		028	036	9		CURRENTLY NOT USED
X	DPS	037	044	8	NZFL	DPS NUMBER. DEPARTMENT OF PUBLIC SAFETY IDENTIFICATION NUMBER.
X	DOS	045	052	8	N	DATE OF SENTENCE (MMDDYYYY)
		053	053	1		CURRENTLY NOT USED
X	TRN	054	063	10	AN	TRACKING INCIDENT NUMBER. CONTROL NUMBER ASSIGNED AT ARREST.
	SEQ	064	064	1	A	SEQUENCE. INDICATOR OF MULTIPLE ARRESTS OF AN INDIVIDUAL ON SAME DAY BY DIFFERENT AGENCIES.
	DOA	065	072	8	N	DATE OF ARREST. MMDDYYYY. DATE SUBJECT WAS ARRESTED.
X	TRS	073	076	4	AN	(ANNN) TRACKING INCIDENT NUMBER SUFFIX (CHARGE NUMBER)
	CSC	077	077	1	A	COURT STATUS CHANGE.
P	PGMT1	078	080	3	AN	PROGRAM TYPE. IF USED: VALID PROGRAM TYPE
P	PGM1	081	130	50	ANLJ	PROGRAM NAME. CONTAINS FREE FORM TEXT FOR PROGRAM NAME.

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD.
P = PROGRAM TYPE AND PROGRAM NAME MUST BE ENTERED AS A SET,
AT LEAST ONE (1) SET IS REQUIRED.

DATA: A = ALPHA N = NUMERIC
ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED
IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

P	PGMT2	131	133	3	AN	PROGRAM TYPE. IF USED: VALID PROGRAM TYPE
P	PGM2	134	183	50	ANLJ	PROGRAM NAME. CONTAINS FREE FORM TEXT FOR PROGRAM NAME.
P	PGMT3	184	186	3	AN	PROGRAM TYPE. IF USED: VALID PROGRAM TYPE
P	PGM3	187	236	50	ANLJ	PROGRAM NAME. CONTAINS FREE FORM TEXT FOR PROGRAM NAME.
P	PGMT4	237	239	3	AN	PROGRAM TYPE. IF USED: VALID PROGRAM TYPE
P	PGM4	240	289	50	ANLJ	PROGRAM NAME. CONTAINS FREE FORM TEXT FOR PROGRAM NAME.
P	PGMT5	290	292	3	AN	PROGRAM TYPE. IF USED: VALID PROGRAM TYPE
P	PGM5	293	342	50	ANLJ	PROGRAM NAME. CONTAINS FREE FORM TEXT FOR PROGRAM NAME.
		343	442	100	AN	CURRENTLY NOT USED

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD.
P = PROGRAM TYPE AND PROGRAM NAME MUST BE ENTERED AS A SET,
AT LEAST ONE (1) SET IS REQUIRED.

DATA: A = ALPHA N = NUMERIC
ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED
IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

Error Indicator Attachment

FIRST 50 BYTES		LAST FIFTY BYTES	
Byte No.	RECORD FIELD IN ERROR	Byte No.	LOGIC ERROR INDICATIONS
1	MKE	51	DUP/UNS/NBF
2	DOE	52	TEMA
3	ORG	53	DUP
4	DPS	54	CONS
5	FILLER	55	EXC
6	TRN		
7	SEQ		
8	DOA		
9	TRS		
10	CSC		
11	LGH		
12	PGMT1		
13	PGM1		
14	PGMT2		
15	PGM2		
16	PGMT3		
17	PGM3		
18	PGMT4		
19	PGM4		
20	PGMT5		
21	PGM5		
22	DOS		
23			
24			
25			
26			
27			
28			
29			
30			
...		...	

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD.
P = PROGRAM TYPE AND PROGRAM NAME MUST BE ENTERED AS A SET,
AT LEAST ONE (1) SET IS REQUIRED.

DATA: A = ALPHA N = NUMERIC
ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED
IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

CUSTODY SEGMENT (MKE = 'ER5')

Transaction Format – Data Area

Note	Code	Field Location		Length	Data Type	Definition
		Begin	End			
X	MKE	001	004	4	ANLJ	MESSAGE KEY 'ER5'. CUSTODY SEGMENT
	ERR	005	005	1	A	ON RETURN TO AGENCY - BLANK = NO ERRORS - X = 100 BYTE ERROR FIELD APPENDED TO RECORD.
X	LGH	006	009	4	NZFL	RECORD LENGTH (335)
X	DOE	010	017	8	N	DATE OF ENTRY (YYYYMMDD)
		018	036	19		CURRENTLY NOT USED
X	DPS	037	044	8	NZFL	DPS NUMBER. DEPARTMENT OF PUBLIC SAFETY IDENTIFICATION NUMBER.
		045	053	9		CURRENTLY NOT USED
X	TRN	054	063	10	AN	TRACKING INCIDENT NUMBER. CONTROL NUMBER ASSIGNED AT ARREST.
X	ORI	064	092	29	A	ORI OF CUSTODIAL AGENCY.
		093	093	1		CURRENTLY NOT USED
X	DOA	094	101	8	N	DATE OF ARREST (MMDDYYYY).
X	AGN	102	110	9	AN	AGENCY NUMBER - IDENTIFICATION NUMBER UTILIZED BY INSTITUTION AGENCY FOR THE SUBJECT
	SXD	111	118	8	N	SENTENCE EXPIRATION DATE (MMDDYYYY)
X	COC	119	121	3	AN	COUNTY OR STATE OF COMMITMENT.
		122	122	1		CURRENTLY NOT USED
X	SSD	123	130	8	N	STATUS STARTING DATE
X	SSN	131	133	3	N	STATUS NUMERIC. REFLECTS ACTIVITY OR MOVEMENT SPECIFICALLY BY CODE
X	SLE	134	183	50	ANLJ	POSITIONS 1 THRU 9 MUST MATCH ORI. POSITIONS 11 THRU 19 MUST MATCH AGN. POSITIONS 21 THRU 50 MAY CONTAIN ADDITIONAL CLARIFICATION OF RULING
	REC	184	186	3	ANLJ	COUNTY/STATE/COUNTRY CODE INDICATING

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD.

DATA: A = ALPHA N = NUMERIC

ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED

IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

Note	Code	Field Location		Length	Data Type	Definition
		Begin	End			
						CUSTODY/SUPERVISION OF OFFENDER UNTIL NEXT STATUS CHANGE
	UNT	187	194	8	N	UNTIL DATE (MMDDYYYY) . REFLECTS EXPECTED DATE OF DISCHARGE.
		195	335	141		CURRENTLY NOT USED

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD.

DATA: A = ALPHA N = NUMERIC

ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED

IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

NICS ENTRY SEGMENT (MKE = 'EDP')

Transaction Format – Data Area

Note	Code	Field Location		Length	Data Type	Definition
		Begin	End			
X	MKE	001	004	4	ANLJ	MESSAGE KEY 'EDP '. IDENTIFICATION RECORD.
	ERR	005	005	1	A	ON RETURN TO AGENCY - BLANK = NO ERRORS - X = 500 BYTE ERROR FIELD APPENDED TO RECORD CONTAINING TEXT DESCRIPTION OF ANY ERRORS.
X	LGH	006	009	4		RECORD LENGTH (312)
X	DOE	010	017	8	N	DATE OF ENTRY (YYYYMMDD)
X	ORG	018	021	4	AN	CDC OF ORGANIZATION SUBMITTING DATA. (I.E.: 'DPS ', 'AFIS',).
X	ORI	22	30	9	ANLJ	AGENCY IDENTIFIER
X	FNAM	31	80	50	A	NAME - FIRST
	MNAM	81	110	30	A	NAME - MIDDLE
X	LNAM	111	160	50	A	NAME - LAST
	SNAM	161	164	4	A	NAME - CADENCE
X	SEX	165	165	1	A	SEX. M = MALE, F = FEMALE.
X	RAC	166	166	1	A	RACE. THE INIDVIDUAL'S NATIONALITY.
X	DOB	167	174	8	N	MONTH, DAY, AND COMPLETE YEAR OF INDIVIDUAL'S BIRTH. MMDDYYYY
X	PCA	175	176	2	A	'D' = ADJUDICATED MENTAL DEFECTIVE/COMMITTED TO A MENTAL INSTITUTION
X	OCA	177	196	20	ANLJ	ORIGINATING CASE NUMBER
	ARI	197	221	25	ANLJ	AGENCY RECORD IDENTIFIER (ASSIGNED BY DPS AND INCLUDED IN RESPONSE)
	SOC	222	230	9	N	SOCIAL SECURITY NUMBER
	OLN	231	255	25	ANLJ	DRIVERS LICENSE NUMBER
	DPS	256	263	8	NZFL	DPS (SID) NUMBER. DEPARTMENT OF PUBLIC SAFETY STATE IDENTIFICATION NUMBER
		264	312	49		CURRENTLY NOT USED

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD.
 DATA: A = ALPHA N = NUMERIC
 ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED
 IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

NICS CANCEL SEGMENT (MKE = 'XDP')

Transaction Format – Data Area

Note	Code	Field Location		Length	Data Type	Definition
		Begin	End			
X	MKE	001	004	4	ANLJ	MESSAGE KEY 'XDP '. IDENTIFICATION RECORD.
	ERR	005	005	1		ON RETURN TO AGENCY - BLANK = NO ERRORS - X = 500 BYTE ERROR FIELD APPENDED TO RECORD CONTAINING TEXT DESCRIPTION OF ANY ERRORS.
X	LGH	006	009	4		RECORD LENGTH (289)
X	DOE	010	017	8	N	DATE OF ENTRY (YYYYMMDD)
X	ORG	018	021	4	AN	CDC OF ORGANIZATION SUBMITTING DATA. (I.E.: 'DPS ', 'AFIS',).
X	ORI	22	30	9	ANLJ	AGENCY IDENTIFIER
X	FNAM	31	80	50	A	NAME - FIRST
	MNAM	81	110	30	A	NAME - MIDDLE
X	LNAM	111	160	50	A	NAME - LAST
	SNAM	161	164	4	A	NAME - CADENCE
X	ARI	165	189	25	N	AGENCY RECORD IDENTIFER.FOR TEXAS NICS ENTRY
		190	289	100		CURRENTLY NOT USED

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD.
 DATA: A = ALPHA N = NUMERIC
 ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED
 IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

CODE DEFINITIONS

CODE	DESCRIPTION
ADA	ARREST DISPOSITION DATE. MMDDYYYY. DATE OF THE DISPOSITION BY THE ARRESTING AGENCY.
ADB	ALIAS DATES OF BIRTH. MMDDYYYY. ANY ADDITIONAL DATES OF BIRTH.
ADC	ADDRESS-CITY.
ADD	ARREST DISPOSITION DATA LITERAL. USED TO DESCRIBE OR CLARIFY THE ADN.
ADN	ARREST DISPOSITION NUMERIC. A CODE THAT EXPRESSES A DISPOSITION IMMEDIATE TO ARREST.
ADR	ADDRESS.
ADS	ADDRESS STATE OR COUNTRY CODE.
ADZ	ADDRESS ZIP CODE (NNNNN OR NNNNNNNNN).
AD1	ADDRESS STREET OF OFFENDER AT TIME OF ARREST.
AGN	AGENCY NUMBER. THE NUMBER ASSIGNED BY AN AGENCY TO IDENTIFY THE SUBJECT.
AKA	ANY ADDITIONAL NAME USED WHEN SUBJECT WAS ARRESTED. (LAST, FIRST MIDDLE.
ANA	ARREST NAME (LAST, FIRST MIDDLE). NAME USED WHEN SUBJECT WAS ARRESTED, OTHER THAN MASTER NAME.
AOL	ARREST OFFENSE LITERAL. A FIELD USED TO EXPLAIN OR CLARIFY THE OFFENSE.
AON	ARREST OFFENSE. THE 4 CHARACTER NCIC OFFENSE CODE FOLLOWED BY THE 4 CHARACTER STATE MODIFIER.
ARC	AGENCY RECEIVING CUSTODY. ORI OF THE AGENCY RECEIVING CUSTODY OF THE OFFENDER.
ARI	AGENCY RECORD IDENTIFIER ASSIGNED BY DPS (TXNNNNNNNN)
ARR	ARREST SEGMENT.
ATN	ATTENTION FIELD.
CAU	CAUSE NUMBER.
CDC	REQUESTOR'S CDC MNEMONIC CODE AND CONTROL INFO FOR 2L01 HEADER.
CDD	COURT DISPOSITION DATE. MMDDYYYY.
CDN	COURT DISPOSITION NUMERIC. THE NUMERIC CODE FOR THE DISPOSITION OF THE CASE.
CFN	COURT FINE. THE MONETARY AMOUNT OF A FINE ORDERED BY THE COURT. WHOLE DOLLARS.
CIT	STATUTE CITATION.
CNAME	CADENCE OR SUFFIX FOR A NAME
CMT	COURT CONFINEMENT. THE AMOUNT OF CONFINEMENT TIME FROM JUDICIAL ACTION.
CMV	OPERATING COMMERCIAL MOTOR VEHICLE DURING ARREST.
COL	COURT OFFENSE LITERAL. A FIELD USED TO EXPLAIN OR CLARIFY THE OFFENSE.
CON	COURT OFFENSE. THE 4 CHARACTER NCIC OFFENSE CODE FOLLOWED BY THE 4 CHARACTER STATE MODIFIER.
CONF	ADULT/JUVENILE SEGMENTS CONFLICT.

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD.
 DATA: A = ALPHA N = NUMERIC
 ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED
 IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

CODE	DESCRIPTION
CONS	THIS RECORD'S DATA HAS BEEN CONSOLIDATED WITH ANOTHER RECORD.
CPL	COURT PROVISION LITERAL. ADDITIONAL DATA WHICH FURTHER EXPLAINS JUDICIAL RULING.
CPN	COURT PROVISION NUMERIC. A FIELD WHICH FURTHER EXPRESSED SPECIAL SENTENCE PROVISIONS.
CPR	COURT PROBATION. THE AMOUNT OF TIME THE SUBJECT IS ON PROBATION.
CSC	COURT STATUS CHANGE.
CSF	COURT SENTENCE SUSPENDED - FINE.
CSS	COURT SENTENCE SUSPENDED - TIME.
CST	COURT COST. AMOUNT OF COURT COSTS. WHOLE DOLLARS.
CTZ	OFFENDER'S CITIZENSHIP STATUS.
DCA	DATE CASE APPEALED. MMDDYYYY. THE DATE OF APPEAL OF THE CHARGE.
DDA	DISPOSITION OF OFFENDER DURING APPEAL.
DOA	DATE OF ARREST. MMDDYYYY. DATE SUBJECT WAS ARRESTED.
DOB	DATE OF BIRTH. MMDDYYYY. MONTH, DAY, AND COMPLETE YEAR OF INDIVIDUAL'S BIRTH.
DOE	DATE OF ENTRY (YYYYMMDD).
DOO	DATE OF OFFENSE. MMDDYYYY. THE DATE THE OFFENSE OCCURRED.
DOR	DATE CHARGE REJECTED BY PROSECUTOR. (MMDDYYYY)
DOS	DATE OF SENTENCE OR STATUS CHANGE. (MMDDYYYY).
DPS	DPS (SID) NUMBER. DEPARTMENT OF PUBLIC SAFETY STATE IDENTIFICATION NUMBER.
DUP	DUPLICATE RECORD TYPE.
EDR	ELECTRONIC DISPOSITION REPORTING.
ERR	RETURN RECORD UPDATE ERROR SWITCH.
ETH	ETHNICITY CODE. BLANK = UNKNOWN, 'N' = NON-HISPANIC, 'H' = HISPANIC.
EXC	EXCEEDS PROGRAM LIMIT OF TEN (10).
EYE	COLOR OF EYES.
FBI	FBI NUMBER. FEDERAL BUREAU OF INVESTIGATION IDENTIFICATION NUMBER.
FCD	FINAL COURT DECISION ON APPEALED CASE. FINAL COURT DECISION ON A CASE THAT WAS APPEALED.
FNAM	FIRST NAME
FPC	NCIC FINGERPRINT CLASSIFICATION. DERIVED FROM THE HENRY FINGERPRINT CLASSIFICATION.
FPO	FINAL PLEADING TO OFFENSE. FINAL PLEADING OF THE OFFENDER TO THE OFFENSE.
FRC	FINGERPRINT RIDGE COUNT. REQUIRED ACCORDING TO CERTAIN CASES AS DICTATED BY THE FPC.
GOCA	GENERAL OFFENSE CHARACTER - ARREST. DESCRIBES ACTION WHICH IS RELATED TO THE OFFENSE.
GOCC	GENERAL OFFENSE CHARACTER - COURT. DESCRIBES ACTION WHICH IS RELATED TO THE OFFENSE.
GOCP	GENERAL OFFENSE CHARACTER - PROSECUTOR.
GUN	NCIC GUN CODE IF GUN WAS PRESENT OR WAS USED.
HAI	COLOR OF HAIR.
HAZ	TRANSPORTING HAZARDOUS MATERIAL AT TIME OF ARREST.
HGT	HEIGHT. EXPRESSED IN FEET AND INCHES.

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD.
DATA: A = ALPHA N = NUMERIC
ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED
IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

CODE	DESCRIPTION
IDN	IDENTIFICATION CARD NUMBER.
IDEN	IDENTIFICATION SEGMENT.
IDS	STATE OR COUNTRY ISSUING IDENTIFICATION CARD.
IDSUP	IDENTIFICATION SUPPLEMENTAL SEGMENT.
JAN	JUVENILE ADJUDICATION NUMERIC (PLACED INTO COURT FIELD 'CDN' IF RECORD IS A JUVENILE).
JDN	JUVENILE DISPOSITION NUMERIC (PLACED INTO COURT FIELD 'CPN' IF RECORD IS A JUVENILE).
JUV	JUVENILE RECORD OR SEGMENT.
LDA	AND DEGREE OF OFFENSE OF ARREST. WHETHER THE ARREST CHARGE IS A FELONY OR MISDEMEANOR.
LDC	LEVEL AND DEGREE OF OFFENSE DISPOSED BY COURT.
LDP	LEVEL AND DEGREE OF PROSECUTED OFFENSE.
LGH	RECORD LENGTH
LIC	LICENSE PLATE NUMBER OF VEHICLE OPERATED DURING ARREST.
LIS	STATE OF VEHICLE REGISTRATION.
LIY	YEAR OF VEHICLE REGISTRATION
LNAM	LAST NAME
MCC	MULTIPLE SENTENCES CONCURRENT (CC) OR CONSECUTIVE (CS).
MDOA	MULTIPLE DATE OF ARREST.
MISC	RESERVED FOR EXPANSION IF NEEDED.
MKE	MESSAGE KEY
MNAM	MIDDLE NAME
MNM	MASTER NAME MODIFY (LAST, FIRST MIDDLE). FIELD TO CHANGE MASTER NAME.
NAM	NAME (LAST, FIRST MIDDLE).
OCA	ORIGINATING AGENCY. NUMBER USED BY ARRESTING AGENCY TO FURTHER IDENTIFY INDIVIDUAL CASE.
OLN	OPERATOR LICENSE NUMBER. A STATE'S NUMBER ISSUED FOR EACH OPERATOR LICENSE.
OLS	OPERATOR LICENSE STATE. THE STATE THAT ISSUED THE OPERATOR LICENSE NUMBER.
OLT	OPERATOR LICENSE TYPE.
OPR	ORGANIZATION'S OPERATOR NUMBER CREATING DATA.
ORG	CDC OF ORGANIZATION SUBMITTING DATA. (I.E.: 'AA#Z').
ORI	ORIGINATING AGENCY.
ORIA	ORI OF ARRESTING AGENCY.
ORIP	ORI OF PROSECUTOR.
ORIC	ORI OF COURT.
PAF	PROSECUTOR ACTION FIELD.
PAN	JUVENILE PRE-ADJUDICATION NUMERIC (PLACED INTO COURT 'CDN' IF RECORD IS A JUVENILE).
PCA	CATEGORY OF PROHIBITED PERSON
PERA	PERMANENT ARREST RECORD.
PERP	PERMANENT PROSECUTOR RECORD.
PGM	COURT ASSIGNED PROGRAM NAME. (NUMBERED 1 THRU 5)
PGMT	COURT ASSIGNED PROGRAM TYPE. (NUMBERED 1 THRU 5)
POB	PLACE OF BIRTH. STATE, TERRITORIAL POSSESSION, PROVINCE, OR COUNTRY OF BIRTH.
POL	PROSECUTION OFFENSE LITERAL. A FIELD USED TO EXPLAIN OR

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD.
DATA: A = ALPHA N = NUMERIC
ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED
IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.

CODE	DESCRIPTION
	CLARIFY THE OFFENSE.
PON	PROSECUTOR OFFENSE. THE 4 CHARACTER NCIC OFFENSE CODE FOLLOWED BY THE 4 CHARACTER STATE MODIFIER.
PRI	FINGERPRINT PRIMARY CLASSIFICATION. BLANK OR 0101 THRU 3232.
PROS	PROSECUTION SEGMENT.
RAC	RACE CODE.
REF	ENTER ORI OF THE DA/PROSECUTOR THE CASE IS BEING REFERRED TO.
SEQ	SEQUENCE. INDICATOR OF MULTIPLE ARRESTS OF AN INDIVIDUAL ON SAME DAY BY DIFFERENT AGENCIES.
SEX	SEX. M = MALE, F = FEMALE.
SKN	SKIN. COLOR OF SKIN TONE.
SMT	SCARS, MARKS, TATTOOS. ANY IDENTIFYING MARKS OF PHYSICAL ATTRIBUTES.
SOC	SOCIAL SECURITY NUMBER. SUBJECT'S SOCIAL SECURITY NUMBER.
TRAN	TRANSMITTAL CODE.
TRN	TRACKING INCIDENT NUMBER. CONTROL NUMBER ASSIGNED AT ARREST.
TRS	(ANNN) TRACKING INCIDENT NUMBER SUFFIX (OLD 'ACH' ARREST CHARGE NUMBER)
UNS	UNSUPPORTED ERROR.
VIC	AGE OF VICTIM
WGT	WEIGHT. SUBJECT'S WEIGHT IN POUNDS.
ZIP	MAILING ZIP CODE. LENGTH - 5 MIN, 9 MAX.

NOTE: X = MINIMUM CONTROL DATA REQUIRED TO SUBMIT THIS RECORD.
DATA: A = ALPHA N = NUMERIC
ZF = ZERO FILLED R = RIGHT L = LEFT J = JUSTIFIED
IF THERE IS NO DATA FOR A FIELD IT WILL BE FILLED WITH BLANKS.